CLI AG6602 Series
Universal Client

Everything You Need to get the Job Done

The AG6602's robust platform is ready to handle any task. With a dual core AMD SOC GX-218 processor running at 1.8 GHz and a Radeon R1E GPU it has the performance features needed to handle the most complex VDI environment. Delivering 6 USB ports a DisplayPort and one DVI-I port with an included VGA adapter. Internal 802.11n wireless with dual antenna support is available as a factory installed option. The AG6602 has the tools and features required for deployment into the most demanding of virtual environments.

Accommodate All Types of Users

The AG6602 is built with the latest embedded technology from AMD utilizing the fastest available SOC GX Series processor to run the latest in Operating Systems and applications. With a dedicated GPU it delivers an unprecedented graphics performance in a thin client device. All of these features are packaged in less than 1.5 cubic liters with no moving parts. With the AG6602 the future of thin computing is here today.

At a Glance

The AG6602 is the ideal client for complex environments With support for the latest OS offerings from Microsoft and Ubuntu the AG6602 is ready for any deployment from application delivery to legacy terminal emulation.

Features

- Dual core AMD 1.8 GHz processor
- Dual Digital Video (DisplayPort and DVI-I).
- Dedicated Radeon HD R1E GPU.
- Multiple mounting options.
- Optional internal wireless.
- Energy efficient, robust feature set, maximum performance.

CLI AG6602 Universal Client

Modular logic unit, AMD SOC GX-2181.8 GHz Dual Core CPU, Gigabit Ethernet, 6 US B ports, audio in/out ports, external power supply, socketed DR AM and Industrial grade SSD Flash, security lock slot, USB optical mouse, USB US 104-key keyboard, US power cord, per seat license for CLI Device Manager software, three-year return-to depot warranty.

FEATURES	DESCRIPTION	AG6602W	AG6602L
Operating System	Customize your AG6602 with Windows® Embedded Standard or Linux Operating Systems. Contact Your Reseller or CLI Sales Representative for Custom Operating System Configuration.	WES7 64-bit	Linux LX3
Processor	AMD SOC, GX-218 (1.8 GHz) Dual Core		
Chipset	GX-218GL		
Video	AMD Radeon™ R1E Graphics Up to 4K on DP and 2560 x 1600 with two monitors DVI + DP Wide Screen Support, 32-bit Color (1) Display Port, (1) DVH Port (VGA Adapter Included)		
Flash	SATA SSD Flash Module	Min: 16GB Max: 64GB	Min: 8GB Max: 64GB
Memory	(1) DDR3 - 1333 SODIMM	Min 4GB Max 8GB	Min 2GB Max 8GB
Communications	(1) Gigabit Ethernet Port		
Wireless	Optional Integrated Mini PCIe Internal Wireless 802.11b/g/n Wi-Fi™ with Dual Internal Antenna	AG6662W	AG6662L
CLI TermPro (Terminal Emulation)	TermPro Supports TN5250 (IBM AS/400), TN3270, (IBM Mainframe), VT100, Wyse 60 and other ASCII (Unix/Linux Systems) Emulation Sessions with One or More Hosts. Enhanced User Interface		
Ports and Connectors	(4) USB 2.0 Ports (Rear), (2) USB 3.0 Ports (Front), (1) DisplayPort, (1) DVI-I, (1) RJ-45/Ethernet, (1) Mic-In Jack, (1) Audio Out Jack, (1) Micro SD Card Reader		
Mounting Hardware	Standard: VESA 100mm Compliant Mounting Holes (Mounting Screws Included), Vertical Stand, Horizontal Feet.		
Power Supply	Auto Sensing 100 – 240 VAC, 50/60Hz, Max 15 Watt		
Protocols	Microsoft® RDC/RemoteFX®, Citrix ICA/HDX®, VMware Horizon View®, Web Browser, Telnet, TCP/IP with DNS, XDMCP, DHCP, PPP, and PXE		
Remote Management	Device Manager Remote Configuration, Image Updates, Asset Management, Shadowing (License Purchase Required), Image Update and Recovery with USB Drive Supported		
Weight	1.9 lbs.		
Dimensions	(w x d x h) 7.88 in (at front) x 5.3 in x 1.9 in		
Temperature & Humidity	5 ℃ to 40 ℃ 20% to 80% Non-Condensing Humidity		
Safety Certifications	RoHS, FCC Class B, VCCI, UL, CE		
Warranty	Limited Three Year Hardware Warranty, Optional Three Year Advanced Replacement Warranty		

CLI
computer lab
international

7/17/17